



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	0.00	1.83	1.83	<0.002
DW2011-6	1.83	2.74	0.91	<0.002
DW2011-6	2.74	4.27	1.52	<0.002
DW2011-6	4.27	5.49	1.22	<0.002
DW2011-6	5.49	7.92	2.44	<0.002
DW2011-6	7.92	10.36	2.44	<0.002
DW2011-6	10.36	12.19	1.83	<0.002
DW2011-6	12.19	13.41	1.22	<0.002
DW2011-6	13.41	15.54	2.13	<0.002
DW2011-6	15.54	17.07	1.52	<0.002
DW2011-6	17.07	17.98	0.91	<0.002
DW2011-6	17.98	20.42	2.44	0.002
DW2011-6	20.42	23.32	2.90	<0.002
DW2011-6	23.32	24.08	0.76	<0.002
DW2011-6	24.08	25.15	1.07	0.002
DW2011-6	25.15	26.52	1.37	0.003
DW2011-6	26.52	28.04	1.52	<0.002
DW2011-6	28.04	29.26	1.22	0.014
DW2011-6	29.26	30.18	0.91	0.003
DW2011-6	30.18	31.09	0.91	0.005
DW2011-6	31.09	32.31	1.22	0.017
DW2011-6	32.31	33.22	0.91	0.006
DW2011-6	33.22	34.14	0.91	0.008
DW2011-6	34.14	35.05	0.91	<0.002
DW2011-6	35.05	35.97	0.91	0.008
DW2011-6	35.97	36.88	0.91	0.125
DW2011-6	38.10	39.62	1.52	0.003
DW2011-6	39.62	41.45	1.83	<0.002
DW2011-6	41.45	42.37	0.91	<0.002
DW2011-6	42.37	43.28	0.91	<0.002
DW2011-6	43.28	44.20	0.91	<0.002
DW2011-6	44.20	45.11	0.91	0.002
DW2011-6	45.11	46.03	0.91	<0.002
DW2011-6	46.03	46.94	0.91	<0.002
DW2011-6	46.94	47.85	0.91	<0.002
DW2011-6	47.85	48.77	0.91	<0.002
DW2011-6	48.77	49.68	0.91	0.002
DW2011-6	49.68	50.60	0.91	<0.002
DW2011-6	50.60	51.51	0.91	0.002
DW2011-6	51.51	52.43	0.91	<0.002
DW2011-6	52.43	54.26	1.83	<0.002
DW2011-6	54.26	55.17	0.91	<0.002



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	55.17	56.39	1.22	<0.002
DW2011-6	56.39	57.30	0.91	<0.002
DW2011-6	57.30	58.22	0.91	<0.002
DW2011-6	58.22	59.44	1.22	<0.002
DW2011-6	59.44	60.35	0.91	<0.002
DW2011-6	60.35	61.27	0.91	<0.002
DW2011-6	61.27	62.18	0.91	<0.002
DW2011-6	62.18	63.09	0.91	<0.002
DW2011-6	63.09	64.16	1.07	0.003
DW2011-6	64.16	65.23	1.07	<0.002
DW2011-6	65.23	66.14	0.91	0.003
DW2011-6	66.14	67.06	0.91	0.021
DW2011-6	67.06	67.97	0.91	<0.002
DW2011-6	67.97	69.04	1.07	<0.002
DW2011-6	69.04	70.10	1.07	<0.002
DW2011-6	70.10	71.02	0.91	<0.002
DW2011-6	71.02	71.93	0.91	<0.002
DW2011-6	71.93	72.85	0.91	<0.002
DW2011-6	72.85	73.76	0.91	<0.002
DW2011-6	73.76	74.68	0.91	<0.002
DW2011-6	74.68	75.90	1.22	<0.002
DW2011-6	75.90	77.12	1.22	<0.002
DW2011-6	77.12	78.33	1.22	<0.002
DW2011-6	78.33	79.55	1.22	<0.002
DW2011-6	79.55	80.47	0.91	<0.002
DW2011-6	80.47	81.38	0.91	<0.002
DW2011-6	81.38	82.30	0.91	0.003
DW2011-6	82.30	83.21	0.91	<0.002
DW2011-6	83.21	84.13	0.91	<0.002
DW2011-6	84.13	85.04	0.91	<0.002
DW2011-6	85.04	85.95	0.91	<0.002
DW2011-6	85.95	86.87	0.91	<0.002
DW2011-6	86.87	88.09	1.22	<0.002
DW2011-6	88.09	89.00	0.91	<0.002
DW2011-6	89.00	89.92	0.91	<0.002
DW2011-6	89.92	90.83	0.91	<0.002
DW2011-6	90.83	91.75	0.91	<0.002
DW2011-6	91.75	92.66	0.91	<0.002
DW2011-6	92.66	93.88	1.22	<0.002
DW2011-6	93.88	94.79	0.91	<0.002
DW2011-6	94.79	95.71	0.91	<0.002
DW2011-6	95.71	96.62	0.91	<0.002



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	96.62	97.54	0.91	0.008
DW2011-6	97.54	98.76	1.22	0.056
DW2011-6	98.76	99.67	0.91	0.251
DW2011-6	99.67	100.59	0.91	0.283
DW2011-6	100.59	101.50	0.91	0.018
DW2011-6	101.50	102.41	0.91	0.028
DW2011-6	102.41	103.33	0.91	1.176
DW2011-6	103.33	104.24	0.91	0.634
DW2011-6	104.24	105.16	0.91	0.452
DW2011-6	105.16	106.07	0.91	0.118
DW2011-6	106.07	106.99	0.91	0.144
DW2011-6	106.99	107.90	0.91	0.243
DW2011-6	107.90	108.81	0.91	0.158
DW2011-6	108.81	109.73	0.91	0.011
DW2011-6	109.73	110.80	1.07	0.499
DW2011-6	110.80	111.86	1.07	0.109
DW2011-6	111.86	112.78	0.91	0.006
DW2011-6	112.78	113.69	0.91	<0.002
DW2011-6	113.69	114.61	0.91	0.005
DW2011-6	114.61	115.52	0.91	0.007
DW2011-6	115.52	116.44	0.91	<0.002
DW2011-6	116.44	117.35	0.91	0.003
DW2011-6	117.35	118.26	0.91	0.004
DW2011-6	118.26	119.18	0.91	<0.002
DW2011-6	119.18	120.09	0.91	<0.002
DW2011-6	120.09	121.62	1.52	<0.002
DW2011-6	121.62	123.75	2.13	<0.002
DW2011-6	123.75	124.66	0.91	<0.002
DW2011-6	124.66	125.58	0.91	<0.002
DW2011-6	125.58	126.49	0.91	<0.002
DW2011-6	126.49	127.41	0.91	<0.002
DW2011-6	127.41	128.32	0.91	<0.002
DW2011-6	128.32	129.24	0.91	0.003
DW2011-6	129.24	130.15	0.91	0.003
DW2011-6	130.15	131.07	0.91	0.002
DW2011-6	131.07	131.98	0.91	<0.002
DW2011-6	131.98	132.89	0.91	0.002
DW2011-6	132.89	133.81	0.91	<0.002
DW2011-6	133.81	135.03	1.22	0.302
DW2011-6	135.03	136.40	1.37	0.046
DW2011-6	136.40	137.31	0.91	0.841
DW2011-6	137.31	138.23	0.91	0.008



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	138.23	139.45	1.22	0.008
DW2011-6	139.45	140.51	1.07	0.003
DW2011-6	140.51	141.43	0.91	<0.002
DW2011-6	141.43	142.65	1.22	<0.002
DW2011-6	142.65	143.56	0.91	0.003
DW2011-6	143.56	144.48	0.91	0.008
DW2011-6	144.48	145.39	0.91	<0.002
DW2011-6	145.39	146.31	0.91	<0.002
DW2011-6	146.31	147.22	0.91	0.003
DW2011-6	147.22	148.13	0.91	0.004
DW2011-6	148.13	149.35	1.22	0.023
DW2011-6	149.35	150.27	0.91	0.007
DW2011-6	150.27	152.10	1.83	0.064
DW2011-6	152.10	153.01	0.91	0.073
DW2011-6	153.01	153.93	0.91	0.021
DW2011-6	153.93	154.84	0.91	0.007
DW2011-6	154.84	156.82	1.98	0.005
DW2011-6	156.82	157.74	0.91	0.152
DW2011-6	157.74	158.65	0.91	0.476
DW2011-6	158.65	159.56	0.91	0.004
DW2011-6	159.56	160.48	0.91	<0.002
DW2011-6	160.48	161.39	0.91	<0.002
DW2011-6	161.39	162.46	1.07	<0.002
DW2011-6	162.46	163.37	0.91	<0.002
DW2011-6	163.37	164.29	0.91	<0.002
DW2011-6	164.29	165.20	0.91	<0.002
DW2011-6	165.20	166.73	1.52	0.005
DW2011-6	166.73	168.25	1.52	<0.002
DW2011-6	168.25	169.17	0.91	<0.002
DW2011-6	169.17	170.08	0.91	<0.002
DW2011-6	170.08	170.99	0.91	<0.002
DW2011-6	170.99	171.91	0.91	<0.002
DW2011-6	171.91	172.82	0.91	<0.002
DW2011-6	172.82	173.74	0.91	<0.002
DW2011-6	173.74	174.96	1.22	<0.002
DW2011-6	174.96	176.18	1.22	<0.002
DW2011-6	176.18	177.09	0.91	0.006
DW2011-6	177.09	178.01	0.91	<0.002
DW2011-6	178.01	178.92	0.91	<0.002
DW2011-6	178.92	179.83	0.91	0.004
DW2011-6	179.83	180.75	0.91	0.002
DW2011-6	180.75	181.66	0.91	0.002



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	181.66	182.88	1.22	0.017
DW2011-6	182.88	183.80	0.91	0.014
DW2011-6	183.80	184.71	0.91	0.014
DW2011-6	184.71	185.63	0.91	0.014
DW2011-6	185.63	186.54	0.91	0.016
DW2011-6	186.54	187.45	0.91	0.003
DW2011-6	187.45	188.37	0.91	0.008
DW2011-6	188.37	189.28	0.91	0.005
DW2011-6	189.28	190.20	0.91	<0.002
DW2011-6	190.20	191.11	0.91	<0.002
DW2011-6	191.11	192.03	0.91	<0.002
DW2011-6	192.03	192.94	0.91	0.003
DW2011-6	192.94	193.86	0.91	<0.002
DW2011-6	193.86	195.07	1.22	<0.002
DW2011-6	195.07	196.60	1.52	<0.002
DW2011-6	196.60	197.51	0.91	0.002
DW2011-6	197.51	198.43	0.91	<0.002
DW2011-6	198.43	199.34	0.91	<0.002
DW2011-6	199.34	202.08	2.74	<0.002
DW2011-6	202.08	203.00	0.91	<0.002
DW2011-6	203.00	204.83	1.83	<0.002
DW2011-6	204.83	205.74	0.91	<0.002
DW2011-6	205.74	206.66	0.91	<0.002
DW2011-6	206.66	207.57	0.91	0.168
DW2011-6	207.57	208.49	0.91	0.193
DW2011-6	208.49	209.40	0.91	0.017
DW2011-6	209.40	210.31	0.91	0.003
DW2011-6	210.31	211.53	1.22	0.003
DW2011-6	211.53	212.45	0.91	0.006
DW2011-6	212.45	213.97	1.52	0.049
DW2011-6	213.97	214.89	0.91	0.049
DW2011-6	214.89	215.80	0.91	0.007
DW2011-6	215.80	216.72	0.91	0.020
DW2011-6	216.72	217.63	0.91	<0.002
DW2011-6	217.63	218.54	0.91	<0.002
DW2011-6	218.54	219.46	0.91	0.003
DW2011-6	219.46	220.37	0.91	1.293
DW2011-6	220.37	221.59	1.22	0.009
DW2011-6	221.59	222.81	1.22	0.015
DW2011-6	222.81	223.73	0.91	0.088
DW2011-6	223.73	224.64	0.91	0.014
DW2011-6	224.64	225.86	1.22	0.026



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	225.86	226.77	0.91	<0.002
DW2011-6	226.77	227.69	0.91	<0.002
DW2011-6	227.69	228.60	0.91	<0.002
DW2011-6	228.60	229.52	0.91	<0.002
DW2011-6	229.52	230.43	0.91	<0.002
DW2011-6	230.43	231.35	0.91	<0.002
DW2011-6	231.35	232.26	0.91	0.002
DW2011-6	232.26	233.17	0.91	<0.002
DW2011-6	233.17	234.09	0.91	<0.002
DW2011-6	234.09	235.00	0.91	<0.002
DW2011-6	235.00	235.92	0.91	<0.002
DW2011-6	235.92	236.83	0.91	<0.002
DW2011-6	236.83	237.75	0.91	<0.002
DW2011-6	237.75	238.97	1.22	0.007
DW2011-6	238.97	239.88	0.91	0.009
DW2011-6	239.88	240.79	0.91	0.092
DW2011-6	240.79	242.01	1.22	0.022
DW2011-6	242.01	242.93	0.91	0.027
DW2011-6	242.93	243.84	0.91	0.096
DW2011-6	243.84	244.76	0.91	0.171
DW2011-6	244.76	245.67	0.91	0.073
DW2011-6	245.67	246.59	0.91	0.140
DW2011-6	246.59	247.50	0.91	0.044
DW2011-6	247.50	248.42	0.91	0.003
DW2011-6	248.42	249.33	0.91	0.098
DW2011-6	249.33	250.24	0.91	<0.002
DW2011-6	250.24	251.16	0.91	<0.002
DW2011-6	251.16	252.07	0.91	<0.002
DW2011-6	252.07	253.29	1.22	0.003
DW2011-6	253.29	254.21	0.91	<0.002
DW2011-6	254.21	255.12	0.91	<0.002
DW2011-6	255.12	256.04	0.91	0.054
DW2011-6	256.04	256.95	0.91	<0.002
DW2011-6	256.95	257.86	0.91	<0.002
DW2011-6	257.86	258.78	0.91	<0.002
DW2011-6	258.78	260.00	1.22	<0.002
DW2011-6	260.00	260.91	0.91	<0.002
DW2011-6	260.91	261.83	0.91	<0.002
DW2011-6	261.83	262.74	0.91	<0.002
DW2011-6	262.74	263.66	0.91	<0.002
DW2011-6	263.66	264.57	0.91	<0.002
DW2011-6	264.57	265.48	0.91	<0.002



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	265.48	266.40	0.91	0.003
DW2011-6	266.40	267.31	0.91	<0.002
DW2011-6	267.31	268.23	0.91	<0.002
DW2011-6	268.23	269.14	0.91	<0.002
DW2011-6	269.14	270.06	0.91	0.002
DW2011-6	270.06	270.97	0.91	<0.002
DW2011-6	270.97	271.88	0.91	<0.002
DW2011-6	271.88	272.80	0.91	<0.002
DW2011-6	272.80	273.71	0.91	<0.002
DW2011-6	273.71	274.63	0.91	0.003
DW2011-6	274.63	275.54	0.91	<0.002
DW2011-6	275.54	276.61	1.07	<0.002
DW2011-6	276.61	277.68	1.07	0.002
DW2011-6	277.68	278.59	0.91	<0.002
DW2011-6	278.59	279.50	0.91	<0.002
DW2011-6	279.50	280.42	0.91	<0.002
DW2011-6	280.42	281.33	0.91	<0.002
DW2011-6	281.33	282.25	0.91	0.003
DW2011-6	282.25	283.16	0.91	0.011
DW2011-6	283.16	284.08	0.91	0.006
DW2011-6	284.08	284.99	0.91	0.003
DW2011-6	284.99	285.91	0.91	<0.002
DW2011-6	285.91	286.82	0.91	<0.002
DW2011-6	286.82	287.73	0.91	<0.002
DW2011-6	287.73	288.65	0.91	<0.002
DW2011-6	288.65	289.56	0.91	<0.002
DW2011-6	289.56	290.78	1.22	0.004
DW2011-6	290.78	291.70	0.91	0.002
DW2011-6	291.70	292.61	0.91	<0.002
DW2011-6	292.61	293.53	0.91	0.002
DW2011-6	293.53	294.44	0.91	0.015
DW2011-6	294.44	295.35	0.91	<0.002
DW2011-6	295.35	296.27	0.91	<0.002
DW2011-6	296.27	297.18	0.91	<0.002
DW2011-6	297.18	298.10	0.91	<0.002
DW2011-6	298.10	299.01	0.91	0.003
DW2011-6	299.01	299.93	0.91	<0.002
DW2011-6	299.93	300.84	0.91	0.008
DW2011-6	300.84	301.76	0.91	<0.002
DW2011-6	301.76	302.67	0.91	<0.002
DW2011-6	302.67	303.58	0.91	0.003
DW2011-6	303.58	304.50	0.91	0.004



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	304.50	306.63	2.13	0.059
DW2011-6	306.63	308.77	2.13	0.210
DW2011-6	308.77	310.90	2.13	0.397
DW2011-6	310.90	311.81	0.91	0.021
DW2011-6	311.81	313.03	1.22	0.094
DW2011-6	313.03	314.56	1.52	0.033
DW2011-6	314.56	315.47	0.91	0.011
DW2011-6	315.47	316.69	1.22	0.124
DW2011-6	316.69	317.61	0.91	<0.002
DW2011-6	317.61	318.52	0.91	<0.002
DW2011-6	318.52	319.74	1.22	<0.002
DW2011-6	319.74	320.65	0.91	<0.002
DW2011-6	320.65	321.87	1.22	<0.002
DW2011-6	321.87	322.79	0.91	<0.002
DW2011-6	322.79	323.70	0.91	<0.002
DW2011-6	323.70	324.62	0.91	<0.002
DW2011-6	324.62	325.84	1.22	<0.002
DW2011-6	325.84	326.75	0.91	<0.002
DW2011-6	326.75	327.66	0.91	<0.002
DW2011-6	327.66	328.58	0.91	<0.002
DW2011-6	328.58	329.49	0.91	<0.002
DW2011-6	329.49	330.41	0.91	<0.002
DW2011-6	330.41	331.32	0.91	<0.002
DW2011-6	331.32	332.24	0.91	<0.002
DW2011-6	332.24	333.15	0.91	<0.002
DW2011-6	333.15	334.06	0.91	0.004
DW2011-6	334.06	334.98	0.91	<0.002
DW2011-6	334.98	335.89	0.91	<0.002
DW2011-6	335.89	336.81	0.91	<0.002
DW2011-6	336.81	338.03	1.22	<0.002
DW2011-6	338.03	338.94	0.91	0.129
DW2011-6	338.94	340.16	1.22	<0.002
DW2011-6	340.16	341.08	0.91	<0.002
DW2011-6	341.08	341.99	0.91	<0.002
DW2011-6	341.99	342.90	0.91	<0.002
DW2011-6	342.90	343.82	0.91	<0.002
DW2011-6	343.82	344.73	0.91	<0.002
DW2011-6	344.73	345.95	1.22	<0.002
DW2011-6	345.95	346.87	0.91	<0.002
DW2011-6	346.87	348.09	1.22	<0.002
DW2011-6	348.09	349.00	0.91	<0.002
DW2011-6	349.00	349.91	0.91	<0.002



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	349.91	350.83	0.91	<0.002
DW2011-6	350.83	351.74	0.91	<0.002
DW2011-6	351.74	352.66	0.91	<0.002
DW2011-6	352.66	353.57	0.91	<0.002
DW2011-6	353.57	354.49	0.91	<0.002
DW2011-6	354.49	355.40	0.91	<0.002
DW2011-6	355.40	356.32	0.91	<0.002
DW2011-6	356.32	357.23	0.91	<0.002
DW2011-6	357.23	358.14	0.91	<0.002
DW2011-6	358.14	359.06	0.91	<0.002
DW2011-6	359.06	359.97	0.91	<0.002
DW2011-6	359.97	360.89	0.91	<0.002
DW2011-6	360.89	361.80	0.91	<0.002
DW2011-6	361.80	362.72	0.91	<0.002
DW2011-6	362.72	363.63	0.91	<0.002
DW2011-6	363.63	364.55	0.91	<0.002
DW2011-6	364.55	365.46	0.91	<0.002
DW2011-6	365.46	366.37	0.91	<0.002
DW2011-6	366.37	367.29	0.91	<0.002
DW2011-6	367.29	368.20	0.91	<0.002
DW2011-6	368.20	369.12	0.91	<0.002
DW2011-6	369.12	370.03	0.91	<0.002
DW2011-6	370.03	370.95	0.91	<0.002
DW2011-6	370.95	371.86	0.91	<0.002
DW2011-6	371.86	373.08	1.22	0.002
DW2011-6	373.08	373.99	0.91	<0.002
DW2011-6	373.99	375.21	1.22	<0.002
DW2011-6	375.21	376.13	0.91	<0.002
DW2011-6	376.13	377.04	0.91	<0.002
DW2011-6	377.04	378.26	1.22	<0.002
DW2011-6	378.26	379.18	0.91	<0.002
DW2011-6	379.18	380.09	0.91	<0.002
DW2011-6	380.09	381.00	0.91	<0.002
DW2011-6	381.00	381.92	0.91	<0.002
DW2011-6	381.92	382.83	0.91	<0.002
DW2011-6	382.83	383.75	0.91	<0.002
DW2011-6	383.75	384.66	0.91	<0.002
DW2011-6	384.66	385.58	0.91	<0.002
DW2011-6	385.58	386.49	0.91	<0.002
DW2011-6	386.49	387.41	0.91	<0.002
DW2011-6	387.41	388.32	0.91	<0.002
DW2011-6	388.32	389.23	0.91	<0.002



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	389.23	390.15	0.91	<0.002
DW2011-6	390.15	391.06	0.91	<0.002
DW2011-6	391.06	391.98	0.91	<0.002
DW2011-6	391.98	392.89	0.91	<0.002
DW2011-6	392.89	394.11	1.22	<0.002
DW2011-6	394.11	395.03	0.91	<0.002
DW2011-6	395.03	395.94	0.91	<0.002
DW2011-6	395.94	396.85	0.91	<0.002
DW2011-6	396.85	397.77	0.91	<0.002
DW2011-6	397.77	398.68	0.91	<0.002
DW2011-6	398.68	399.60	0.91	<0.002
DW2011-6	399.60	400.51	0.91	<0.002
DW2011-6	400.51	401.43	0.91	<0.002
DW2011-6	401.43	402.34	0.91	<0.002
DW2011-6	402.34	403.26	0.91	<0.002
DW2011-6	403.26	404.17	0.91	<0.002
DW2011-6	404.17	405.08	0.91	<0.002
DW2011-6	405.08	406.00	0.91	<0.002
DW2011-6	406.00	406.91	0.91	<0.002
DW2011-6	406.91	407.83	0.91	<0.002
DW2011-6	407.83	408.74	0.91	<0.002
DW2011-6	408.74	409.66	0.91	<0.002
DW2011-6	409.66	410.57	0.91	<0.002
DW2011-6	410.57	411.49	0.91	<0.002
DW2011-6	411.49	412.40	0.91	<0.002
DW2011-6	412.40	413.31	0.91	<0.002
DW2011-6	413.31	414.23	0.91	<0.002
DW2011-6	414.23	415.14	0.91	<0.002
DW2011-6	415.14	416.06	0.91	<0.002
DW2011-6	416.06	416.97	0.91	<0.002
DW2011-6	416.97	417.89	0.91	<0.002
DW2011-6	417.89	418.80	0.91	<0.002
DW2011-6	418.80	419.71	0.91	<0.002
DW2011-6	419.71	420.63	0.91	<0.002
DW2011-6	420.63	421.54	0.91	<0.002
DW2011-6	421.54	422.46	0.91	<0.002
DW2011-6	422.46	423.37	0.91	<0.002
DW2011-6	423.37	424.29	0.91	<0.002
DW2011-6	424.29	425.20	0.91	<0.002
DW2011-6	425.20	427.03	1.83	<0.002
DW2011-6	427.03	427.94	0.91	<0.002
DW2011-6	427.94	428.86	0.91	<0.002



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	428.86	429.77	0.91	<0.002
DW2011-6	429.77	430.69	0.91	<0.002
DW2011-6	430.69	431.60	0.91	<0.002
DW2011-6	431.60	432.52	0.91	<0.002
DW2011-6	432.52	433.43	0.91	<0.002
DW2011-6	433.43	434.35	0.91	<0.002
DW2011-6	434.35	435.26	0.91	0.084
DW2011-6	435.26	436.17	0.91	0.890
DW2011-6	436.17	437.09	0.91	0.302
DW2011-6	437.09	438.61	1.52	0.063
DW2011-6	438.61	440.14	1.52	0.007
DW2011-6	440.14	441.05	0.91	0.010
DW2011-6	441.05	441.97	0.91	0.097
DW2011-6	441.97	442.88	0.91	0.034
DW2011-6	442.88	443.79	0.91	0.005
DW2011-6	443.79	444.71	0.91	0.003
DW2011-6	444.71	445.62	0.91	<0.002
DW2011-6	445.62	446.54	0.91	0.002
DW2011-6	446.54	447.45	0.91	<0.002
DW2011-6	447.45	448.37	0.91	<0.002
DW2011-6	448.37	449.28	0.91	<0.002
DW2011-6	449.28	450.20	0.91	<0.002
DW2011-6	450.20	451.11	0.91	<0.002
DW2011-6	451.11	452.02	0.91	0.003
DW2011-6	452.02	452.94	0.91	0.007
DW2011-6	452.94	453.85	0.91	0.003
DW2011-6	453.85	454.77	0.91	0.078
DW2011-6	454.77	455.68	0.91	0.220
DW2011-6	455.68	456.60	0.91	<0.002
DW2011-6	456.60	457.51	0.91	0.030
DW2011-6	457.51	458.42	0.91	0.005
DW2011-6	458.42	459.34	0.91	<0.002
DW2011-6	459.34	460.25	0.91	<0.002
DW2011-6	460.25	461.17	0.91	<0.002
DW2011-6	461.17	462.08	0.91	<0.002
DW2011-6	462.08	463.00	0.91	<0.002
DW2011-6	463.00	463.91	0.91	<0.002
DW2011-6	463.91	464.83	0.91	<0.002
DW2011-6	464.83	466.04	1.22	<0.002
DW2011-6	466.04	466.96	0.91	<0.002
DW2011-6	466.96	467.87	0.91	<0.002
DW2011-6	467.87	468.79	0.91	<0.002



Idaho Gold Project - Deadwood Zone
PHASE IV - 25,000 meters

Drill Hole: DW2011_6 (HQ Core)

Release Date: 1-Dec-2011

See Release: [DW2011_6](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
DW2011-6	468.79	469.70	0.91	0.006
DW2011-6	469.70	470.62	0.91	<0.002
DW2011-6	470.62	471.53	0.91	<0.002
DW2011-6	471.53	472.45	0.91	<0.002
DW2011-6	472.45	473.36	0.91	<0.002
DW2011-6	473.36	474.27	0.91	<0.002
DW2011-6	474.27	475.19	0.91	0.056
DW2011-6	475.19	476.10	0.91	0.123
DW2011-6	476.10	477.02	0.91	<0.002
DW2011-6	477.02	477.93	0.91	<0.002
DW2011-6	477.93	478.85	0.91	<0.002
DW2011-6	478.85	479.76	0.91	<0.002
DW2011-6	479.76	480.68	0.91	<0.002
DW2011-6	480.68	481.59	0.91	<0.002
DW2011-6	481.59	482.50	0.91	<0.002
DW2011-6	482.50	483.42	0.91	<0.002
DW2011-6	483.42	484.33	0.91	0.002
DW2011-6	484.33	485.25	0.91	<0.002
DW2011-6	485.25	486.16	0.91	<0.002
DW2011-6	486.16	487.08	0.91	<0.002
DW2011-6	487.08	487.99	0.91	0.023
DW2011-6	487.99	488.91	0.91	<0.002
DW2011-6	488.91	489.82	0.91	0.006
DW2011-6	489.82	491.04	1.22	<0.002
DW2011-6	491.04	491.34	0.30	0.091
DW2011-6	491.34	492.26	0.91	0.014
DW2011-6	492.26	493.17	0.91	0.003
DW2011-6	493.17	494.09	0.91	<0.002
DW2011-6	494.09	495.00	0.91	<0.002
DW2011-6	495.00	495.92	0.91	<0.002
DW2011-6	495.92	496.83	0.91	<0.002
DW2011-6	496.83	497.74	0.91	<0.002
DW2011-6	497.74	498.66	0.91	0.013
DW2011-6	498.66	499.57	0.91	0.014
DW2011-6	499.57	500.49	0.91	0.021
DW2011-6	500.49	501.40	0.91	0.007
DW2011-6	501.40	502.32	0.91	<0.002
DW2011-6	502.32	503.23	0.91	0.005
DW2011-6	503.23	504.15	0.91	<0.002
DW2011-6	504.15	505.36	1.22	0.011
DW2011-6	505.36	506.58	1.22	0.004
DW2011-6	506.58	507.80	1.22	<0.002