



**Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters**

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	0.00	7.92	7.92	0.032
PFR2011-18	7.92	8.84	0.91	0.012
PFR2011-18	8.84	10.97	2.13	0.010
PFR2011-18	10.97	11.89	0.91	0.009
PFR2011-18	11.89	13.11	1.22	0.010
PFR2011-18	13.11	14.94	1.83	0.016
PFR2011-18	14.94	17.07	2.13	0.010
PFR2011-18	17.07	23.17	6.10	0.097
PFR2011-18	23.17	24.08	0.91	0.035
PFR2011-18	24.08	26.21	2.13	0.121
PFR2011-18	26.21	27.74	1.52	0.024
PFR2011-18	27.74	30.63	2.90	0.090
PFR2011-18	30.63	31.70	1.07	0.014
PFR2011-18	31.70	32.92	1.22	0.033
PFR2011-18	32.92	34.14	1.22	0.021
PFR2011-18	34.14	35.36	1.22	0.187
PFR2011-18	35.36	36.58	1.22	0.183
PFR2011-18	36.58	37.49	0.91	0.113
PFR2011-18	37.49	38.41	0.91	0.137
PFR2011-18	38.41	39.32	0.91	0.076
PFR2011-18	39.32	40.23	0.91	0.051
PFR2011-18	40.23	41.15	0.91	0.074
PFR2011-18	41.15	42.06	0.91	0.640
PFR2011-18	42.06	42.98	0.91	0.212
PFR2011-18	42.98	46.03	3.05	0.028
PFR2011-18	46.03	47.55	1.52	0.601
PFR2011-18	47.55	49.07	1.52	0.008
PFR2011-18	49.07	49.99	0.91	0.057
PFR2011-18	49.99	50.90	0.91	0.132
PFR2011-18	50.90	51.82	0.91	0.024
PFR2011-18	51.82	52.73	0.91	0.272
PFR2011-18	52.73	53.65	0.91	0.028
PFR2011-18	53.65	54.56	0.91	0.016
PFR2011-18	54.56	55.47	0.91	0.009
PFR2011-18	55.47	56.39	0.91	0.015
PFR2011-18	56.39	57.30	0.91	0.002
PFR2011-18	57.30	58.22	0.91	0.012
PFR2011-18	58.22	59.13	0.91	1.153
PFR2011-18	59.13	60.05	0.91	0.007
PFR2011-18	60.05	60.96	0.91	0.017
PFR2011-18	60.96	61.88	0.91	0.015
PFR2011-18	61.88	62.79	0.91	0.005



Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	62.79	63.70	0.91	0.116
PFR2011-18	63.70	64.62	0.91	0.087
PFR2011-18	64.62	65.53	0.91	0.020
PFR2011-18	65.53	66.45	0.91	0.721
PFR2011-18	66.45	67.36	0.91	0.206
PFR2011-18	67.36	68.28	0.91	0.024
PFR2011-18	68.28	69.19	0.91	0.027
PFR2011-18	69.19	70.10	0.91	0.044
PFR2011-18	70.10	71.02	0.91	1.122
PFR2011-18	71.02	71.93	0.91	0.043
PFR2011-18	71.93	72.85	0.91	0.023
PFR2011-18	72.85	73.76	0.91	0.040
PFR2011-18	73.76	74.68	0.91	0.010
PFR2011-18	74.68	75.59	0.91	0.014
PFR2011-18	75.59	76.51	0.91	0.014
PFR2011-18	76.51	77.42	0.91	0.070
PFR2011-18	77.42	78.33	0.91	0.032
PFR2011-18	78.33	79.25	0.91	0.052
PFR2011-18	79.25	80.16	0.91	0.747
PFR2011-18	80.16	81.08	0.91	0.039
PFR2011-18	81.08	81.99	0.91	0.030
PFR2011-18	81.99	82.91	0.91	0.021
PFR2011-18	82.91	83.82	0.91	0.061
PFR2011-18	83.82	84.74	0.91	0.045
PFR2011-18	84.74	85.65	0.91	0.354
PFR2011-18	85.65	86.56	0.91	0.037
PFR2011-18	86.56	87.48	0.91	0.151
PFR2011-18	87.48	88.39	0.91	0.049
PFR2011-18	88.39	89.31	0.91	0.031
PFR2011-18	89.31	90.22	0.91	0.123
PFR2011-18	90.22	91.14	0.91	0.324
PFR2011-18	91.14	92.05	0.91	0.029
PFR2011-18	92.05	92.97	0.91	0.017
PFR2011-18	92.97	93.88	0.91	0.003
PFR2011-18	93.88	94.79	0.91	0.059
PFR2011-18	94.79	95.71	0.91	0.139
PFR2011-18	95.71	96.62	0.91	0.293
PFR2011-18	96.62	97.54	0.91	0.142
PFR2011-18	97.54	98.45	0.91	0.039
PFR2011-18	98.45	99.37	0.91	0.030
PFR2011-18	99.37	100.28	0.91	0.155
PFR2011-18	100.28	101.19	0.91	0.204



**Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters**

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	101.19	102.11	0.91	0.058
PFR2011-18	102.11	103.02	0.91	0.021
PFR2011-18	103.02	103.94	0.91	0.021
PFR2011-18	103.94	104.85	0.91	0.078
PFR2011-18	104.85	106.07	1.22	0.134
PFR2011-18	106.07	107.60	1.52	0.112
PFR2011-18	107.60	108.81	1.22	0.024
PFR2011-18	108.81	110.95	2.13	0.020
PFR2011-18	110.95	111.86	0.91	0.015
PFR2011-18	111.86	113.08	1.22	0.018
PFR2011-18	113.08	114.30	1.22	0.015
PFR2011-18	114.30	115.22	0.91	0.029
PFR2011-18	115.22	117.35	2.13	0.034
PFR2011-18	117.35	118.26	0.91	0.039
PFR2011-18	118.26	119.18	0.91	0.025
PFR2011-18	119.18	120.09	0.91	0.025
PFR2011-18	120.09	121.01	0.91	0.123
PFR2011-18	121.01	121.92	0.91	0.096
PFR2011-18	121.92	122.84	0.91	0.100
PFR2011-18	122.84	123.75	0.91	1.666
PFR2011-18	123.75	124.66	0.91	2.520
PFR2011-18	124.66	125.58	0.91	0.369
PFR2011-18	125.58	126.49	0.91	0.090
PFR2011-18	126.49	127.41	0.91	0.009
PFR2011-18	127.41	128.32	0.91	0.010
PFR2011-18	128.32	129.24	0.91	0.004
PFR2011-18	129.24	130.15	0.91	0.005
PFR2011-18	130.15	131.07	0.91	0.090
PFR2011-18	131.07	132.89	1.83	0.281
PFR2011-18	132.89	133.81	0.91	0.322
PFR2011-18	133.81	134.72	0.91	0.722
PFR2011-18	134.72	135.64	0.91	0.024
PFR2011-18	135.64	136.55	0.91	0.110
PFR2011-18	136.55	137.47	0.91	0.095
PFR2011-18	137.47	138.38	0.91	0.006
PFR2011-18	138.38	139.30	0.91	0.073
PFR2011-18	139.30	140.21	0.91	0.011
PFR2011-18	140.21	141.12	0.91	0.020
PFR2011-18	141.12	142.04	0.91	0.018
PFR2011-18	142.04	142.95	0.91	0.089
PFR2011-18	142.95	143.87	0.91	0.004
PFR2011-18	143.87	144.78	0.91	0.025



**Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters**

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	144.78	145.70	0.91	0.017
PFR2011-18	145.70	146.61	0.91	0.043
PFR2011-18	146.61	147.52	0.91	0.143
PFR2011-18	147.52	148.44	0.91	0.038
PFR2011-18	148.44	149.35	0.91	0.043
PFR2011-18	149.35	150.27	0.91	0.048
PFR2011-18	150.27	151.18	0.91	0.119
PFR2011-18	151.18	152.10	0.91	0.021
PFR2011-18	152.10	153.01	0.91	0.038
PFR2011-18	153.01	153.93	0.91	0.180
PFR2011-18	153.93	154.84	0.91	0.070
PFR2011-18	154.84	155.75	0.91	0.141
PFR2011-18	155.75	156.67	0.91	1.516
PFR2011-18	156.67	157.58	0.91	0.056
PFR2011-18	157.58	158.50	0.91	0.232
PFR2011-18	158.50	159.41	0.91	3.424
PFR2011-18	159.41	160.33	0.91	0.857
PFR2011-18	160.33	161.24	0.91	3.052
PFR2011-18	161.24	162.16	0.91	2.298
PFR2011-18	162.16	163.07	0.91	0.618
PFR2011-18	163.07	163.98	0.91	1.685
PFR2011-18	163.98	164.90	0.91	5.291
PFR2011-18	164.90	165.81	0.91	0.735
PFR2011-18	165.81	166.73	0.91	0.119
PFR2011-18	166.73	167.64	0.91	0.183
PFR2011-18	167.64	168.56	0.91	0.032
PFR2011-18	168.56	169.47	0.91	0.025
PFR2011-18	169.47	170.39	0.91	0.491
PFR2011-18	170.39	171.30	0.91	0.139
PFR2011-18	171.30	172.21	0.91	0.009
PFR2011-18	172.21	173.13	0.91	0.009
PFR2011-18	173.13	174.04	0.91	0.021
PFR2011-18	174.04	174.96	0.91	0.081
PFR2011-18	174.96	175.87	0.91	0.525
PFR2011-18	175.87	176.79	0.91	0.405
PFR2011-18	176.79	177.70	0.91	0.166
PFR2011-18	177.70	178.61	0.91	0.564
PFR2011-18	178.61	179.53	0.91	0.326
PFR2011-18	179.53	180.44	0.91	2.018
PFR2011-18	180.44	181.36	0.91	0.101
PFR2011-18	181.36	182.27	0.91	0.398
PFR2011-18	182.27	183.19	0.91	0.958



**Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters**

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	183.19	184.10	0.91	0.011
PFR2011-18	184.10	185.02	0.91	0.029
PFR2011-18	185.02	185.93	0.91	0.034
PFR2011-18	185.93	186.84	0.91	0.021
PFR2011-18	186.84	187.76	0.91	0.764
PFR2011-18	187.76	188.67	0.91	2.489
PFR2011-18	188.67	189.59	0.91	0.013
PFR2011-18	189.59	190.50	0.91	0.661
PFR2011-18	190.50	191.42	0.91	0.005
PFR2011-18	191.42	192.33	0.91	2.581
PFR2011-18	192.33	193.25	0.91	0.710
PFR2011-18	193.25	194.16	0.91	1.757
PFR2011-18	194.16	195.07	0.91	0.472
PFR2011-18	195.07	195.99	0.91	0.018
PFR2011-18	195.99	196.90	0.91	0.060
PFR2011-18	196.90	197.82	0.91	0.016
PFR2011-18	197.82	198.73	0.91	0.035
PFR2011-18	198.73	199.65	0.91	0.004
PFR2011-18	199.65	200.56	0.91	0.003
PFR2011-18	200.56	201.48	0.91	0.029
PFR2011-18	201.48	202.39	0.91	0.018
PFR2011-18	202.39	203.30	0.91	0.006
PFR2011-18	203.30	204.22	0.91	0.454
PFR2011-18	204.22	205.13	0.91	0.820
PFR2011-18	205.13	206.05	0.91	1.736
PFR2011-18	206.05	206.96	0.91	0.084
PFR2011-18	206.96	207.88	0.91	0.023
PFR2011-18	207.88	208.79	0.91	0.046
PFR2011-18	208.79	209.70	0.91	0.103
PFR2011-18	209.70	210.62	0.91	0.287
PFR2011-18	210.62	211.53	0.91	0.158
PFR2011-18	211.53	212.45	0.91	0.019
PFR2011-18	212.45	213.36	0.91	0.052
PFR2011-18	213.36	214.28	0.91	0.062
PFR2011-18	214.28	215.19	0.91	0.144
PFR2011-18	215.19	216.11	0.91	0.133
PFR2011-18	216.11	217.02	0.91	1.282
PFR2011-18	217.02	217.93	0.91	0.037
PFR2011-18	217.93	218.85	0.91	0.012
PFR2011-18	218.85	219.76	0.91	0.016
PFR2011-18	219.76	220.68	0.91	0.009
PFR2011-18	220.68	221.59	0.91	0.017



**Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters**

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	221.59	222.51	0.91	0.033
PFR2011-18	222.51	223.42	0.91	0.051
PFR2011-18	223.42	224.34	0.91	0.011
PFR2011-18	224.34	225.25	0.91	0.147
PFR2011-18	225.25	227.08	1.83	0.969
PFR2011-18	227.08	227.99	0.91	1.467
PFR2011-18	227.99	228.91	0.91	0.427
PFR2011-18	228.91	229.82	0.91	0.193
PFR2011-18	229.82	230.74	0.91	0.286
PFR2011-18	230.74	231.65	0.91	0.219
PFR2011-18	231.65	232.57	0.91	0.248
PFR2011-18	232.57	233.48	0.91	0.418
PFR2011-18	233.48	234.39	0.91	0.081
PFR2011-18	234.39	235.31	0.91	0.043
PFR2011-18	235.31	236.22	0.91	0.169
PFR2011-18	236.22	237.14	0.91	0.060
PFR2011-18	237.14	238.05	0.91	0.061
PFR2011-18	238.05	238.97	0.91	0.033
PFR2011-18	238.97	239.88	0.91	0.089
PFR2011-18	239.88	240.79	0.91	0.097
PFR2011-18	240.79	241.71	0.91	0.118
PFR2011-18	241.71	242.62	0.91	0.125
PFR2011-18	242.62	243.54	0.91	0.217
PFR2011-18	243.54	244.45	0.91	1.029
PFR2011-18	244.45	245.37	0.91	0.312
PFR2011-18	245.37	246.28	0.91	0.166
PFR2011-18	246.28	247.20	0.91	0.160
PFR2011-18	247.20	248.11	0.91	0.378
PFR2011-18	248.11	249.02	0.91	0.176
PFR2011-18	249.02	249.94	0.91	0.660
PFR2011-18	249.94	250.85	0.91	0.201
PFR2011-18	250.85	251.77	0.91	0.315
PFR2011-18	251.77	252.68	0.91	0.163
PFR2011-18	252.68	253.90	1.22	0.383
PFR2011-18	253.90	254.82	0.91	0.451
PFR2011-18	254.82	255.73	0.91	0.813
PFR2011-18	255.73	256.64	0.91	0.830
PFR2011-18	256.64	257.56	0.91	0.798
PFR2011-18	257.56	258.47	0.91	0.387
PFR2011-18	258.47	259.39	0.91	0.281
PFR2011-18	259.39	260.30	0.91	0.250
PFR2011-18	260.30	261.22	0.91	1.000



Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	261.22	262.13	0.91	0.808
PFR2011-18	262.13	263.05	0.91	0.051
PFR2011-18	263.05	263.96	0.91	0.080
PFR2011-18	263.96	264.87	0.91	0.028
PFR2011-18	264.87	265.79	0.91	0.240
PFR2011-18	265.79	266.70	0.91	0.374
PFR2011-18	266.70	267.62	0.91	0.994
PFR2011-18	267.62	268.53	0.91	0.279
PFR2011-18	268.53	269.45	0.91	0.347
PFR2011-18	269.45	270.36	0.91	0.343
PFR2011-18	270.36	271.28	0.91	0.311
PFR2011-18	271.28	272.19	0.91	0.208
PFR2011-18	272.19	273.10	0.91	0.236
PFR2011-18	273.10	274.02	0.91	0.252
PFR2011-18	274.02	274.93	0.91	0.233
PFR2011-18	274.93	275.85	0.91	0.612
PFR2011-18	275.85	276.76	0.91	0.089
PFR2011-18	276.76	277.68	0.91	0.311
PFR2011-18	277.68	278.59	0.91	0.286
PFR2011-18	278.59	279.50	0.91	0.155
PFR2011-18	279.50	280.42	0.91	0.173
PFR2011-18	280.42	281.33	0.91	0.027
PFR2011-18	281.33	282.25	0.91	0.012
PFR2011-18	282.25	283.16	0.91	<0.002
PFR2011-18	283.16	284.08	0.91	0.008
PFR2011-18	284.08	284.99	0.91	0.015
PFR2011-18	284.99	285.91	0.91	0.041
PFR2011-18	285.91	286.82	0.91	0.051
PFR2011-18	286.82	287.73	0.91	0.087
PFR2011-18	287.73	288.65	0.91	0.054
PFR2011-18	288.65	289.56	0.91	0.121
PFR2011-18	289.56	290.48	0.91	0.014
PFR2011-18	290.48	291.39	0.91	<0.002
PFR2011-18	291.39	292.31	0.91	0.003
PFR2011-18	292.31	293.22	0.91	<0.002
PFR2011-18	293.22	294.14	0.91	<0.002
PFR2011-18	294.14	295.05	0.91	<0.002
PFR2011-18	295.05	295.96	0.91	<0.002
PFR2011-18	295.96	296.88	0.91	<0.002
PFR2011-18	296.88	297.79	0.91	<0.002
PFR2011-18	297.79	298.71	0.91	<0.002
PFR2011-18	298.71	299.62	0.91	<0.002



**Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters**

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	299.62	300.84	1.22	0.038
PFR2011-18	300.84	301.76	0.91	0.023
PFR2011-18	301.76	302.67	0.91	0.009
PFR2011-18	302.67	303.58	0.91	0.042
PFR2011-18	303.58	304.50	0.91	0.009
PFR2011-18	304.50	305.41	0.91	0.010
PFR2011-18	305.41	306.33	0.91	0.005
PFR2011-18	306.33	307.24	0.91	<0.002
PFR2011-18	307.24	308.16	0.91	0.005
PFR2011-18	308.16	309.07	0.91	0.003
PFR2011-18	309.07	309.99	0.91	0.018
PFR2011-18	309.99	310.90	0.91	0.035
PFR2011-18	310.90	311.81	0.91	0.192
PFR2011-18	311.81	312.73	0.91	0.009
PFR2011-18	312.73	313.64	0.91	0.010
PFR2011-18	313.64	314.56	0.91	0.004
PFR2011-18	314.56	315.47	0.91	0.004
PFR2011-18	315.47	316.39	0.91	0.073
PFR2011-18	316.39	317.30	0.91	0.013
PFR2011-18	317.30	318.22	0.91	0.008
PFR2011-18	318.22	319.13	0.91	0.005
PFR2011-18	319.13	320.04	0.91	0.014
PFR2011-18	320.04	320.96	0.91	0.009
PFR2011-18	320.96	321.87	0.91	0.024
PFR2011-18	321.87	322.79	0.91	0.054
PFR2011-18	322.79	323.70	0.91	0.003
PFR2011-18	323.70	324.62	0.91	<0.002
PFR2011-18	324.62	325.84	1.22	0.029
PFR2011-18	325.84	327.05	1.22	0.003
PFR2011-18	327.05	327.97	0.91	<0.002
PFR2011-18	327.97	328.88	0.91	0.253
PFR2011-18	328.88	329.80	0.91	0.114
PFR2011-18	329.80	330.71	0.91	0.006
PFR2011-18	330.71	331.63	0.91	0.039
PFR2011-18	331.63	332.85	1.22	0.009
PFR2011-18	332.85	333.76	0.91	0.145
PFR2011-18	333.76	334.67	0.91	0.034
PFR2011-18	334.67	335.89	1.22	0.007
PFR2011-18	335.89	336.81	0.91	<0.002
PFR2011-18	336.81	337.72	0.91	0.016
PFR2011-18	337.72	338.64	0.91	<0.002
PFR2011-18	338.64	340.47	1.83	0.003



**Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters**

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	340.47	341.68	1.22	0.019
PFR2011-18	341.68	342.60	0.91	<0.002
PFR2011-18	342.60	343.51	0.91	0.003
PFR2011-18	343.51	344.43	0.91	<0.002
PFR2011-18	344.43	345.34	0.91	<0.002
PFR2011-18	345.34	346.26	0.91	<0.002
PFR2011-18	346.26	347.17	0.91	<0.002
PFR2011-18	347.17	348.09	0.91	<0.002
PFR2011-18	348.09	349.00	0.91	<0.002
PFR2011-18	349.00	349.91	0.91	0.004
PFR2011-18	349.91	351.44	1.52	0.011
PFR2011-18	351.44	352.66	1.22	0.013
PFR2011-18	352.66	353.57	0.91	0.038
PFR2011-18	353.57	354.49	0.91	0.223
PFR2011-18	354.49	355.40	0.91	0.265
PFR2011-18	355.40	356.32	0.91	<0.002
PFR2011-18	356.32	357.23	0.91	0.015
PFR2011-18	357.23	358.14	0.91	0.094
PFR2011-18	358.14	359.06	0.91	0.049
PFR2011-18	359.06	359.97	0.91	0.023
PFR2011-18	359.97	360.89	0.91	<0.002
PFR2011-18	360.89	361.80	0.91	0.010
PFR2011-18	361.80	362.72	0.91	0.006
PFR2011-18	362.72	363.63	0.91	0.022
PFR2011-18	363.63	364.55	0.91	<0.002
PFR2011-18	364.55	365.46	0.91	0.016
PFR2011-18	365.46	366.37	0.91	0.003
PFR2011-18	366.37	367.29	0.91	<0.002
PFR2011-18	367.29	368.20	0.91	<0.002
PFR2011-18	368.20	369.12	0.91	0.012
PFR2011-18	369.12	370.03	0.91	<0.002
PFR2011-18	370.03	371.25	1.22	0.009
PFR2011-18	371.25	372.47	1.22	0.004
PFR2011-18	372.47	373.38	0.91	0.008
PFR2011-18	373.38	374.30	0.91	<0.002
PFR2011-18	374.30	375.21	0.91	<0.002
PFR2011-18	375.21	376.13	0.91	0.006
PFR2011-18	376.13	377.04	0.91	0.029
PFR2011-18	377.04	377.96	0.91	0.081
PFR2011-18	377.96	378.87	0.91	0.011
PFR2011-18	378.87	379.79	0.91	0.057
PFR2011-18	379.79	381.00	1.22	0.058



**Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters**

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	381.00	381.92	0.91	0.041
PFR2011-18	381.92	382.83	0.91	0.110
PFR2011-18	382.83	384.36	1.52	0.128
PFR2011-18	384.36	385.27	0.91	0.011
PFR2011-18	385.27	386.19	0.91	0.004
PFR2011-18	386.19	387.10	0.91	0.008
PFR2011-18	387.10	388.02	0.91	0.004
PFR2011-18	388.02	388.93	0.91	0.004
PFR2011-18	388.93	389.84	0.91	0.005
PFR2011-18	389.84	390.76	0.91	0.002
PFR2011-18	390.76	391.67	0.91	<0.002
PFR2011-18	391.67	392.59	0.91	0.002
PFR2011-18	392.59	393.50	0.91	<0.002
PFR2011-18	393.50	394.42	0.91	<0.002
PFR2011-18	394.42	395.33	0.91	<0.002
PFR2011-18	395.33	396.24	0.91	<0.002
PFR2011-18	396.24	397.16	0.91	<0.002
PFR2011-18	397.16	398.07	0.91	0.003
PFR2011-18	398.07	398.99	0.91	<0.002
PFR2011-18	398.99	399.90	0.91	<0.002
PFR2011-18	399.90	400.82	0.91	<0.002
PFR2011-18	400.82	401.73	0.91	<0.002
PFR2011-18	401.73	402.65	0.91	<0.002
PFR2011-18	402.65	403.56	0.91	<0.002
PFR2011-18	403.56	404.47	0.91	<0.002
PFR2011-18	404.47	405.39	0.91	<0.002
PFR2011-18	405.39	406.30	0.91	0.004
PFR2011-18	406.30	407.22	0.91	0.003
PFR2011-18	407.22	408.13	0.91	0.004
PFR2011-18	408.13	409.05	0.91	<0.002
PFR2011-18	409.05	409.96	0.91	0.010
PFR2011-18	409.96	410.88	0.91	0.003
PFR2011-18	410.88	411.79	0.91	0.006
PFR2011-18	411.79	412.70	0.91	<0.002
PFR2011-18	412.70	413.62	0.91	<0.002
PFR2011-18	413.62	414.53	0.91	<0.002
PFR2011-18	414.53	415.45	0.91	0.002
PFR2011-18	415.45	416.36	0.91	0.002
PFR2011-18	416.36	417.28	0.91	<0.002
PFR2011-18	417.28	418.19	0.91	0.003
PFR2011-18	418.19	419.11	0.91	<0.002
PFR2011-18	419.11	420.02	0.91	<0.002



**Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters**

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	420.02	420.93	0.91	<0.002
PFR2011-18	420.93	421.85	0.91	0.026
PFR2011-18	421.85	422.76	0.91	0.216
PFR2011-18	422.76	423.68	0.91	0.007
PFR2011-18	423.68	424.90	1.22	0.043
PFR2011-18	424.90	425.81	0.91	<0.002
PFR2011-18	425.81	426.73	0.91	<0.002
PFR2011-18	426.73	427.64	0.91	<0.002
PFR2011-18	427.64	428.55	0.91	<0.002
PFR2011-18	428.55	429.47	0.91	<0.002
PFR2011-18	429.47	430.38	0.91	<0.002
PFR2011-18	430.38	431.30	0.91	<0.002
PFR2011-18	431.30	432.82	1.52	<0.002
PFR2011-18	432.82	433.74	0.91	0.004
PFR2011-18	433.74	434.95	1.22	0.012
PFR2011-18	434.95	435.87	0.91	0.010
PFR2011-18	435.87	436.78	0.91	<0.002
PFR2011-18	436.78	437.70	0.91	<0.002
PFR2011-18	437.70	438.61	0.91	<0.002
PFR2011-18	438.61	439.53	0.91	<0.002
PFR2011-18	439.53	440.44	0.91	0.003
PFR2011-18	440.44	441.36	0.91	<0.002
PFR2011-18	441.36	442.27	0.91	<0.002
PFR2011-18	442.27	443.18	0.91	<0.002
PFR2011-18	443.18	444.10	0.91	<0.002
PFR2011-18	444.10	445.01	0.91	<0.002
PFR2011-18	445.01	445.93	0.91	<0.002
PFR2011-18	445.93	446.84	0.91	<0.002
PFR2011-18	446.84	447.76	0.91	<0.002
PFR2011-18	447.76	448.67	0.91	0.002
PFR2011-18	448.67	449.59	0.91	0.005
PFR2011-18	449.59	450.50	0.91	<0.002
PFR2011-18	450.50	451.41	0.91	<0.002
PFR2011-18	451.41	452.33	0.91	<0.002
PFR2011-18	452.33	453.24	0.91	<0.002
PFR2011-18	453.24	454.16	0.91	<0.002
PFR2011-18	454.16	455.07	0.91	<0.002
PFR2011-18	455.07	455.99	0.91	<0.002
PFR2011-18	455.99	456.90	0.91	0.006
PFR2011-18	456.90	457.82	0.91	<0.002
PFR2011-18	457.82	458.73	0.91	<0.002
PFR2011-18	458.73	459.64	0.91	<0.002



Idaho Gold Project - Friday Petsite
PHASE IV - 25,000 meters

Drill Hole: PFR2011_18 (HQ Core)

Release Date: 17-Nov-2011

See Release: [PFR2011_18](#)

Hole #	Depth From (m)	Depth To (m)	Interval (m)	Au g/t
PFR2011-18	459.64	460.56	0.91	0.007
PFR2011-18	460.56	461.47	0.91	<0.002
PFR2011-18	461.47	462.39	0.91	0.003
PFR2011-18	462.39	463.30	0.91	0.004
PFR2011-18	463.30	464.22	0.91	<0.002
PFR2011-18	464.22	465.13	0.91	<0.002
PFR2011-18	465.13	466.04	0.91	<0.002
PFR2011-18	466.04	466.96	0.91	0.007
PFR2011-18	466.96	468.18	1.22	<0.002
PFR2011-18	468.18	469.09	0.91	0.004
PFR2011-18	469.09	470.01	0.91	0.023
PFR2011-18	470.01	470.92	0.91	0.003
PFR2011-18	470.92	471.84	0.91	<0.002
PFR2011-18	471.84	473.06	1.22	0.002
PFR2011-18	473.06	473.97	0.91	<0.002
PFR2011-18	473.97	474.88	0.91	<0.002
PFR2011-18	474.88	475.80	0.91	0.015
PFR2011-18	475.80	476.71	0.91	<0.002
PFR2011-18	476.71	477.63	0.91	0.002
PFR2011-18	477.63	478.54	0.91	<0.002
PFR2011-18	478.54	479.76	1.22	<0.002
PFR2011-18	479.76	480.68	0.91	<0.002
PFR2011-18	480.68	481.59	0.91	<0.002
PFR2011-18	481.59	482.50	0.91	0.058
PFR2011-18	482.50	483.42	0.91	0.016
PFR2011-18	483.42	484.33	0.91	<0.002
PFR2011-18	484.33	485.25	0.91	<0.002
PFR2011-18	485.25	486.47	1.22	0.091
PFR2011-18	486.47	487.38	0.91	0.058
PFR2011-18	487.38	488.30	0.91	0.017
PFR2011-18	488.30	489.21	0.91	<0.002
PFR2011-18	489.21	490.12	0.91	<0.002
PFR2011-18	490.12	491.04	0.91	0.002