



Idaho Gold Project - Friday Petsite  
PHASE IV - 25,000 meters

Drill Hole: PFR2011\_8 (HQ Core)

Release Date: 19-July-2011

See Release: [PFR2011\\_8](#)

| Hole #    | Depth From (m) | Depth To (m) | Interval (m) | Au g/t |
|-----------|----------------|--------------|--------------|--------|
| PFR2011-8 | 0.00           | 3.66         | 3.66         | 0.267  |
| PFR2011-8 | 3.66           | 4.88         | 1.22         | 0.005  |
| PFR2011-8 | 4.88           | 6.71         | 1.83         | <0.002 |
| PFR2011-8 | 6.71           | 9.75         | 3.05         | 0.029  |
| PFR2011-8 | 9.75           | 11.58        | 1.83         | 0.166  |
| PFR2011-8 | 11.58          | 12.80        | 1.22         | <0.002 |
| PFR2011-8 | 12.80          | 13.72        | 0.91         | <0.002 |
| PFR2011-8 | 13.72          | 15.85        | 2.13         | <0.002 |
| PFR2011-8 | 15.85          | 16.76        | 0.91         | 0.083  |
| PFR2011-8 | 16.76          | 17.68        | 0.91         | 0.147  |
| PFR2011-8 | 17.68          | 18.59        | 0.91         | 0.119  |
| PFR2011-8 | 18.59          | 19.51        | 0.91         | 0.114  |
| PFR2011-8 | 19.51          | 20.42        | 0.91         | 0.152  |
| PFR2011-8 | 20.42          | 21.34        | 0.91         | 0.502  |
| PFR2011-8 | 21.34          | 22.25        | 0.91         | 0.188  |
| PFR2011-8 | 22.25          | 23.16        | 0.91         | 0.065  |
| PFR2011-8 | 23.16          | 24.08        | 0.91         | 0.166  |
| PFR2011-8 | 24.08          | 24.99        | 0.91         | 0.299  |
| PFR2011-8 | 24.99          | 25.91        | 0.91         | 0.392  |
| PFR2011-8 | 25.91          | 26.82        | 0.91         | 0.053  |
| PFR2011-8 | 26.82          | 27.89        | 1.07         | 0.223  |
| PFR2011-8 | 27.89          | 28.65        | 0.76         | 0.026  |
| PFR2011-8 | 28.65          | 29.87        | 1.22         | 0.263  |
| PFR2011-8 | 29.87          | 30.78        | 0.91         | 0.100  |
| PFR2011-8 | 30.78          | 31.70        | 0.91         | 0.037  |
| PFR2011-8 | 31.70          | 32.61        | 0.91         | 0.069  |
| PFR2011-8 | 32.61          | 33.53        | 0.91         | 0.031  |
| PFR2011-8 | 33.53          | 34.44        | 0.91         | 0.086  |
| PFR2011-8 | 34.44          | 35.36        | 0.91         | 0.079  |
| PFR2011-8 | 35.36          | 36.27        | 0.91         | 0.224  |
| PFR2011-8 | 36.27          | 37.19        | 0.91         | 0.244  |
| PFR2011-8 | 37.19          | 38.10        | 0.91         | 0.171  |
| PFR2011-8 | 38.10          | 39.01        | 0.91         | 0.095  |
| PFR2011-8 | 39.01          | 39.93        | 0.91         | 0.054  |
| PFR2011-8 | 39.93          | 40.84        | 0.91         | 0.111  |
| PFR2011-8 | 40.84          | 41.76        | 0.91         | 0.114  |
| PFR2011-8 | 41.76          | 42.67        | 0.91         | 0.125  |
| PFR2011-8 | 42.67          | 43.59        | 0.91         | 0.056  |
| PFR2011-8 | 43.59          | 44.50        | 0.91         | 0.065  |
| PFR2011-8 | 44.50          | 45.42        | 0.91         | 0.100  |
| PFR2011-8 | 45.42          | 46.33        | 0.91         | 0.110  |
| PFR2011-8 | 46.33          | 47.24        | 0.91         | 2.013  |



**Idaho Gold Project - Friday Petsite  
PHASE IV - 25,000 meters**

Drill Hole: PFR2011\_8 (HQ Core)

Release Date: 19-July-2011

See Release: [PFR2011\\_8](#)

| Hole #    | Depth From (m) | Depth To (m) | Interval (m) | Au g/t |
|-----------|----------------|--------------|--------------|--------|
| PFR2011-8 | 47.24          | 48.16        | 0.91         | 0.144  |
| PFR2011-8 | 48.16          | 49.07        | 0.91         | 0.091  |
| PFR2011-8 | 49.07          | 49.99        | 0.91         | 0.291  |
| PFR2011-8 | 49.99          | 50.90        | 0.91         | 0.074  |
| PFR2011-8 | 50.90          | 51.82        | 0.91         | 0.163  |
| PFR2011-8 | 51.82          | 52.73        | 0.91         | 1.347  |
| PFR2011-8 | 52.73          | 53.64        | 0.91         | 0.909  |
| PFR2011-8 | 53.64          | 54.56        | 0.91         | 3.522  |
| PFR2011-8 | 54.56          | 55.17        | 0.61         | 0.213  |
| PFR2011-8 | 55.17          | 56.08        | 0.91         | 0.235  |
| PFR2011-8 | 56.08          | 57.00        | 0.91         | 0.179  |
| PFR2011-8 | 57.00          | 57.91        | 0.91         | 0.174  |
| PFR2011-8 | 57.91          | 58.83        | 0.91         | 0.429  |
| PFR2011-8 | 58.83          | 59.74        | 0.91         | 0.100  |
| PFR2011-8 | 59.74          | 60.66        | 0.91         | 0.398  |
| PFR2011-8 | 60.66          | 61.57        | 0.91         | 0.186  |
| PFR2011-8 | 61.57          | 62.48        | 0.91         | 0.225  |
| PFR2011-8 | 62.48          | 63.40        | 0.91         | 0.496  |
| PFR2011-8 | 63.40          | 64.31        | 0.91         | 0.128  |
| PFR2011-8 | 64.31          | 65.23        | 0.91         | 0.454  |
| PFR2011-8 | 65.23          | 66.14        | 0.91         | 0.309  |
| PFR2011-8 | 66.14          | 67.06        | 0.91         | 0.085  |
| PFR2011-8 | 67.06          | 67.97        | 0.91         | 0.106  |
| PFR2011-8 | 67.97          | 68.88        | 0.91         | 0.832  |
| PFR2011-8 | 68.88          | 69.80        | 0.91         | 2.294  |
| PFR2011-8 | 69.80          | 70.71        | 0.91         | 0.189  |
| PFR2011-8 | 70.71          | 71.63        | 0.91         | 0.141  |
| PFR2011-8 | 71.63          | 72.54        | 0.91         | 0.028  |
| PFR2011-8 | 72.54          | 73.46        | 0.91         | 0.097  |
| PFR2011-8 | 73.46          | 74.52        | 1.07         | 0.067  |
| PFR2011-8 | 74.52          | 75.59        | 1.07         | 0.131  |
| PFR2011-8 | 75.59          | 76.50        | 0.91         | 0.093  |
| PFR2011-8 | 76.50          | 77.72        | 1.22         | 0.185  |
| PFR2011-8 | 77.72          | 78.64        | 0.91         | 0.170  |
| PFR2011-8 | 78.64          | 79.55        | 0.91         | 0.155  |
| PFR2011-8 | 79.55          | 80.47        | 0.91         | 0.145  |
| PFR2011-8 | 80.47          | 81.38        | 0.91         | 0.106  |
| PFR2011-8 | 81.38          | 82.30        | 0.91         | 0.156  |
| PFR2011-8 | 82.30          | 83.21        | 0.91         | 0.047  |
| PFR2011-8 | 83.21          | 84.12        | 0.91         | 0.641  |
| PFR2011-8 | 84.12          | 85.04        | 0.91         | 1.001  |
| PFR2011-8 | 85.04          | 85.95        | 0.91         | 0.177  |



**Idaho Gold Project - Friday Petsite  
PHASE IV - 25,000 meters**

Drill Hole: PFR2011\_8 (HQ Core)

Release Date: 19-July-2011

See Release: [PFR2011\\_8](#)

| Hole #    | Depth From (m) | Depth To (m) | Interval (m) | Au g/t |
|-----------|----------------|--------------|--------------|--------|
| PFR2011-8 | 85.95          | 86.87        | 0.91         | 0.046  |
| PFR2011-8 | 86.87          | 87.78        | 0.91         | 0.067  |
| PFR2011-8 | 87.78          | 88.70        | 0.91         | 0.028  |
| PFR2011-8 | 88.70          | 89.92        | 1.22         | 0.065  |
| PFR2011-8 | 89.92          | 90.83        | 0.91         | 0.057  |
| PFR2011-8 | 90.83          | 91.74        | 0.91         | 0.132  |
| PFR2011-8 | 91.74          | 92.66        | 0.91         | 0.149  |
| PFR2011-8 | 92.66          | 93.57        | 0.91         | 0.734  |
| PFR2011-8 | 93.57          | 94.49        | 0.91         | 0.849  |
| PFR2011-8 | 94.49          | 95.40        | 0.91         | 0.911  |
| PFR2011-8 | 95.40          | 96.32        | 0.91         | 0.132  |
| PFR2011-8 | 96.32          | 97.23        | 0.91         | 0.276  |
| PFR2011-8 | 97.23          | 98.15        | 0.91         | 0.810  |
| PFR2011-8 | 98.15          | 98.76        | 0.61         | 1.045  |
| PFR2011-8 | 98.76          | 99.36        | 0.61         | 6.124  |
| PFR2011-8 | 99.36          | 99.97        | 0.61         | 1.009  |
| PFR2011-8 | 99.97          | 100.89       | 0.91         | 0.042  |
| PFR2011-8 | 100.89         | 101.50       | 0.61         | 1.148  |
| PFR2011-8 | 101.50         | 102.11       | 0.61         | 2.493  |
| PFR2011-8 | 102.11         | 102.72       | 0.61         | 0.193  |
| PFR2011-8 | 102.72         | 103.63       | 0.91         | 0.346  |
| PFR2011-8 | 103.63         | 104.55       | 0.91         | 0.043  |
| PFR2011-8 | 104.55         | 105.46       | 0.91         | 0.088  |
| PFR2011-8 | 105.46         | 106.38       | 0.91         | 0.062  |
| PFR2011-8 | 106.38         | 107.29       | 0.91         | 0.038  |
| PFR2011-8 | 107.29         | 107.90       | 0.61         | 0.093  |
| PFR2011-8 | 107.90         | 108.51       | 0.61         | 2.613  |
| PFR2011-8 | 108.51         | 109.12       | 0.61         | 0.401  |
| PFR2011-8 | 109.12         | 110.03       | 0.91         | 0.583  |
| PFR2011-8 | 110.03         | 110.95       | 0.91         | 0.494  |
| PFR2011-8 | 110.95         | 111.86       | 0.91         | 0.282  |
| PFR2011-8 | 111.86         | 112.47       | 0.61         | 0.641  |
| PFR2011-8 | 112.47         | 113.08       | 0.61         | 2.141  |
| PFR2011-8 | 113.08         | 114.00       | 0.91         | 0.420  |
| PFR2011-8 | 114.00         | 114.91       | 0.91         | 0.193  |
| PFR2011-8 | 114.91         | 115.52       | 0.61         | 0.220  |
| PFR2011-8 | 115.52         | 116.13       | 0.61         | 2.221  |
| PFR2011-8 | 116.13         | 116.74       | 0.61         | 0.291  |
| PFR2011-8 | 116.74         | 117.35       | 0.61         | 0.145  |
| PFR2011-8 | 117.35         | 118.26       | 0.91         | 0.085  |
| PFR2011-8 | 118.26         | 119.18       | 0.91         | 1.424  |
| PFR2011-8 | 119.18         | 120.09       | 0.91         | 0.536  |



**Idaho Gold Project - Friday Petsite  
PHASE IV - 25,000 meters**

Drill Hole: PFR2011\_8 (HQ Core)

Release Date: 19-July-2011

See Release: [PFR2011\\_8](#)

| Hole #    | Depth From (m) | Depth To (m) | Interval (m) | Au g/t |
|-----------|----------------|--------------|--------------|--------|
| PFR2011-8 | 120.09         | 120.70       | 0.61         | 0.703  |
| PFR2011-8 | 120.70         | 121.31       | 0.61         | 0.646  |
| PFR2011-8 | 121.31         | 121.92       | 0.61         | 1.712  |
| PFR2011-8 | 121.92         | 122.53       | 0.61         | 0.023  |
| PFR2011-8 | 122.53         | 123.44       | 0.91         | 1.235  |
| PFR2011-8 | 123.44         | 124.36       | 0.91         | 0.043  |
| PFR2011-8 | 124.36         | 125.27       | 0.91         | 0.370  |
| PFR2011-8 | 125.27         | 126.19       | 0.91         | 0.394  |
| PFR2011-8 | 126.19         | 127.10       | 0.91         | 0.122  |
| PFR2011-8 | 127.10         | 128.02       | 0.91         | 0.172  |
| PFR2011-8 | 128.02         | 128.93       | 0.91         | 6.939  |
| PFR2011-8 | 128.93         | 129.84       | 0.91         | 0.260  |
| PFR2011-8 | 129.84         | 130.76       | 0.91         | 0.453  |
| PFR2011-8 | 130.76         | 131.67       | 0.91         | 0.839  |
| PFR2011-8 | 131.67         | 132.59       | 0.91         | 0.560  |
| PFR2011-8 | 132.59         | 133.50       | 0.91         | 0.071  |
| PFR2011-8 | 133.50         | 134.42       | 0.91         | 0.259  |
| PFR2011-8 | 134.42         | 135.03       | 0.61         | 2.173  |
| PFR2011-8 | 135.03         | 135.64       | 0.61         | 5.021  |
| PFR2011-8 | 135.64         | 136.25       | 0.61         | 5.782  |
| PFR2011-8 | 136.25         | 136.86       | 0.61         | 1.527  |
| PFR2011-8 | 136.86         | 137.77       | 0.91         | 1.015  |
| PFR2011-8 | 137.77         | 138.68       | 0.91         | 0.321  |
| PFR2011-8 | 138.68         | 139.60       | 0.91         | 0.371  |
| PFR2011-8 | 139.60         | 140.51       | 0.91         | 0.289  |
| PFR2011-8 | 140.51         | 141.43       | 0.91         | 0.592  |
| PFR2011-8 | 141.43         | 142.34       | 0.91         | 0.697  |
| PFR2011-8 | 142.34         | 143.26       | 0.91         | 2.807  |
| PFR2011-8 | 143.26         | 144.17       | 0.91         | 2.511  |
| PFR2011-8 | 144.17         | 145.08       | 0.91         | 0.531  |
| PFR2011-8 | 145.08         | 146.00       | 0.91         | 1.024  |
| PFR2011-8 | 146.00         | 146.91       | 0.91         | 0.499  |
| PFR2011-8 | 146.91         | 147.83       | 0.91         | 0.674  |
| PFR2011-8 | 147.83         | 148.74       | 0.91         | 0.976  |
| PFR2011-8 | 148.74         | 149.66       | 0.91         | 0.347  |
| PFR2011-8 | 149.66         | 150.57       | 0.91         | 1.792  |
| PFR2011-8 | 150.57         | 151.49       | 0.91         | 2.068  |
| PFR2011-8 | 151.49         | 152.40       | 0.91         | 2.109  |
| PFR2011-8 | 152.40         | 153.31       | 0.91         | 0.733  |
| PFR2011-8 | 153.31         | 154.23       | 0.91         | 0.390  |
| PFR2011-8 | 154.23         | 154.84       | 0.61         | 0.829  |
| PFR2011-8 | 154.84         | 155.45       | 0.61         | 0.449  |



**Idaho Gold Project - Friday Petsite  
PHASE IV - 25,000 meters**

Drill Hole: PFR2011\_8 (HQ Core)

Release Date: 19-July-2011

See Release: [PFR2011\\_8](#)

| Hole #    | Depth From (m) | Depth To (m) | Interval (m) | Au g/t |
|-----------|----------------|--------------|--------------|--------|
| PFR2011-8 | 155.45         | 156.06       | 0.61         | 0.716  |
| PFR2011-8 | 156.06         | 156.67       | 0.61         | 0.242  |
| PFR2011-8 | 156.67         | 157.28       | 0.61         | 0.699  |
| PFR2011-8 | 157.28         | 157.89       | 0.61         | 0.340  |
| PFR2011-8 | 157.89         | 158.50       | 0.61         | 0.244  |
| PFR2011-8 | 158.50         | 159.11       | 0.61         | 0.309  |
| PFR2011-8 | 159.11         | 160.02       | 0.91         | 0.267  |
| PFR2011-8 | 160.02         | 161.54       | 1.52         | 0.528  |
| PFR2011-8 | 161.54         | 162.15       | 0.61         | 0.553  |
| PFR2011-8 | 162.15         | 162.76       | 0.61         | 1.578  |
| PFR2011-8 | 162.76         | 163.68       | 0.91         | 0.581  |
| PFR2011-8 | 163.68         | 164.59       | 0.91         | 0.183  |
| PFR2011-8 | 164.59         | 165.51       | 0.91         | 1.621  |
| PFR2011-8 | 165.51         | 166.42       | 0.91         | 1.174  |
| PFR2011-8 | 166.42         | 167.34       | 0.91         | 1.126  |
| PFR2011-8 | 167.34         | 168.25       | 0.91         | 2.440  |
| PFR2011-8 | 168.25         | 169.16       | 0.91         | 2.019  |
| PFR2011-8 | 169.16         | 170.08       | 0.91         | 2.957  |
| PFR2011-8 | 170.08         | 170.99       | 0.91         | 0.059  |
| PFR2011-8 | 170.99         | 171.91       | 0.91         | 0.464  |
| PFR2011-8 | 171.91         | 172.82       | 0.91         | 0.251  |
| PFR2011-8 | 172.82         | 173.74       | 0.91         | 0.012  |
| PFR2011-8 | 173.74         | 174.65       | 0.91         | 0.003  |
| PFR2011-8 | 174.65         | 175.56       | 0.91         | 0.476  |
| PFR2011-8 | 175.56         | 176.48       | 0.91         | 0.450  |
| PFR2011-8 | 176.48         | 177.39       | 0.91         | 0.035  |
| PFR2011-8 | 177.39         | 178.31       | 0.91         | 0.056  |
| PFR2011-8 | 178.31         | 179.22       | 0.91         | 0.292  |
| PFR2011-8 | 179.22         | 180.14       | 0.91         | 0.174  |
| PFR2011-8 | 180.14         | 181.05       | 0.91         | 0.853  |
| PFR2011-8 | 181.05         | 181.97       | 0.91         | 1.265  |
| PFR2011-8 | 181.97         | 182.88       | 0.91         | 1.402  |
| PFR2011-8 | 182.88         | 183.79       | 0.91         | 1.378  |
| PFR2011-8 | 183.79         | 184.71       | 0.91         | 1.081  |
| PFR2011-8 | 184.71         | 185.62       | 0.91         | 1.012  |
| PFR2011-8 | 185.62         | 186.54       | 0.91         | 1.736  |
| PFR2011-8 | 186.54         | 187.45       | 0.91         | 0.873  |
| PFR2011-8 | 187.45         | 188.37       | 0.91         | 14.840 |
| PFR2011-8 | 188.37         | 189.28       | 0.91         | 4.374  |
| PFR2011-8 | 189.28         | 190.20       | 0.91         | 1.165  |
| PFR2011-8 | 190.20         | 191.11       | 0.91         | 0.555  |
| PFR2011-8 | 191.11         | 192.02       | 0.91         | 0.775  |



**Idaho Gold Project - Friday Petsite  
PHASE IV - 25,000 meters**

Drill Hole: PFR2011\_8 (HQ Core)

Release Date: 19-July-2011

See Release: [PFR2011\\_8](#)

| Hole #    | Depth From (m) | Depth To (m) | Interval (m) | Au g/t |
|-----------|----------------|--------------|--------------|--------|
| PFR2011-8 | 192.02         | 192.94       | 0.91         | 0.171  |
| PFR2011-8 | 192.94         | 193.85       | 0.91         | 0.776  |
| PFR2011-8 | 193.85         | 194.77       | 0.91         | 0.707  |
| PFR2011-8 | 194.77         | 195.68       | 0.91         | 1.013  |
| PFR2011-8 | 195.68         | 196.60       | 0.91         | 1.044  |
| PFR2011-8 | 196.60         | 197.51       | 0.91         | 0.101  |
| PFR2011-8 | 197.51         | 198.42       | 0.91         | 0.362  |
| PFR2011-8 | 198.42         | 199.34       | 0.91         | 0.410  |
| PFR2011-8 | 199.34         | 200.25       | 0.91         | 0.485  |
| PFR2011-8 | 200.25         | 201.17       | 0.91         | 0.359  |
| PFR2011-8 | 201.17         | 202.08       | 0.91         | 0.252  |
| PFR2011-8 | 202.08         | 203.00       | 0.91         | 2.080  |
| PFR2011-8 | 203.00         | 203.91       | 0.91         | 0.958  |
| PFR2011-8 | 203.91         | 204.83       | 0.91         | 1.154  |
| PFR2011-8 | 204.83         | 205.74       | 0.91         | 1.209  |
| PFR2011-8 | 205.74         | 206.65       | 0.91         | 0.299  |
| PFR2011-8 | 206.65         | 207.57       | 0.91         | 0.385  |
| PFR2011-8 | 207.57         | 208.48       | 0.91         | 0.525  |
| PFR2011-8 | 208.48         | 209.40       | 0.91         | 0.344  |
| PFR2011-8 | 209.40         | 210.31       | 0.91         | 0.303  |
| PFR2011-8 | 210.31         | 211.23       | 0.91         | 0.024  |
| PFR2011-8 | 211.23         | 212.14       | 0.91         | 0.018  |
| PFR2011-8 | 212.14         | 213.36       | 1.22         | 0.009  |
| PFR2011-8 | 213.36         | 214.27       | 0.91         | 0.010  |
| PFR2011-8 | 214.27         | 215.19       | 0.91         | 0.018  |
| PFR2011-8 | 215.19         | 216.10       | 0.91         | 0.011  |
| PFR2011-8 | 216.10         | 217.02       | 0.91         | 0.005  |
| PFR2011-8 | 217.02         | 217.93       | 0.91         | 0.012  |
| PFR2011-8 | 217.93         | 218.85       | 0.91         | 0.009  |
| PFR2011-8 | 218.85         | 219.76       | 0.91         | 0.012  |
| PFR2011-8 | 219.76         | 220.68       | 0.91         | <0.002 |
| PFR2011-8 | 220.68         | 221.59       | 0.91         | 0.022  |
| PFR2011-8 | 221.59         | 222.50       | 0.91         | 0.010  |
| PFR2011-8 | 222.50         | 223.42       | 0.91         | 0.003  |
| PFR2011-8 | 223.42         | 224.33       | 0.91         | 0.010  |
| PFR2011-8 | 224.33         | 225.25       | 0.91         | 0.018  |
| PFR2011-8 | 225.25         | 226.16       | 0.91         | 0.015  |
| PFR2011-8 | 226.16         | 227.08       | 0.91         | <0.002 |
| PFR2011-8 | 227.08         | 227.99       | 0.91         | 0.021  |
| PFR2011-8 | 227.99         | 229.21       | 1.22         | 0.045  |
| PFR2011-8 | 229.21         | 230.43       | 1.22         | 0.028  |
| PFR2011-8 | 230.43         | 231.34       | 0.91         | 0.004  |



**Idaho Gold Project - Friday Petsite  
PHASE IV - 25,000 meters**

Drill Hole: PFR2011\_8 (HQ Core)

Release Date: 19-July-2011

See Release: [PFR2011\\_8](#)

| Hole #    | Depth From (m) | Depth To (m) | Interval (m) | Au g/t |
|-----------|----------------|--------------|--------------|--------|
| PFR2011-8 | 231.34         | 232.26       | 0.91         | 0.011  |
| PFR2011-8 | 232.26         | 233.17       | 0.91         | 0.023  |
| PFR2011-8 | 233.17         | 234.09       | 0.91         | 0.008  |
| PFR2011-8 | 234.09         | 235.00       | 0.91         | <0.002 |
| PFR2011-8 | 235.00         | 235.92       | 0.91         | 0.013  |
| PFR2011-8 | 235.92         | 236.83       | 0.91         | 0.003  |
| PFR2011-8 | 236.83         | 237.74       | 0.91         | 0.006  |
| PFR2011-8 | 237.74         | 238.66       | 0.91         | 0.018  |
| PFR2011-8 | 238.66         | 239.57       | 0.91         | 0.016  |
| PFR2011-8 | 239.57         | 240.49       | 0.91         | 0.006  |
| PFR2011-8 | 240.49         | 241.40       | 0.91         | 0.005  |
| PFR2011-8 | 241.40         | 242.32       | 0.91         | 0.003  |
| PFR2011-8 | 242.32         | 243.23       | 0.91         | 0.028  |
| PFR2011-8 | 243.23         | 244.14       | 0.91         | 0.003  |
| PFR2011-8 | 244.14         | 245.06       | 0.91         | 0.011  |
| PFR2011-8 | 245.06         | 245.97       | 0.91         | 0.021  |
| PFR2011-8 | 245.97         | 246.89       | 0.91         | 0.004  |
| PFR2011-8 | 246.89         | 247.80       | 0.91         | 0.007  |
| PFR2011-8 | 247.80         | 248.72       | 0.91         | 0.009  |
| PFR2011-8 | 248.72         | 249.94       | 1.22         | 0.010  |
| PFR2011-8 | 249.94         | 250.85       | 0.91         | 0.005  |
| PFR2011-8 | 250.85         | 251.76       | 0.91         | 0.006  |
| PFR2011-8 | 251.76         | 252.68       | 0.91         | 0.005  |
| PFR2011-8 | 252.68         | 253.59       | 0.91         | 0.008  |
| PFR2011-8 | 253.59         | 254.51       | 0.91         | 0.002  |
| PFR2011-8 | 254.51         | 255.42       | 0.91         | 0.003  |
| PFR2011-8 | 255.42         | 256.34       | 0.91         | <0.002 |
| PFR2011-8 | 256.34         | 257.25       | 0.91         | 0.004  |
| PFR2011-8 | 257.25         | 258.17       | 0.91         | <0.002 |
| PFR2011-8 | 258.17         | 259.08       | 0.91         | 0.011  |
| PFR2011-8 | 259.08         | 259.99       | 0.91         | 0.019  |
| PFR2011-8 | 259.99         | 260.91       | 0.91         | 0.011  |
| PFR2011-8 | 260.91         | 261.82       | 0.91         | 0.027  |
| PFR2011-8 | 261.82         | 262.74       | 0.91         | 0.011  |
| PFR2011-8 | 262.74         | 263.65       | 0.91         | 0.011  |
| PFR2011-8 | 263.65         | 264.57       | 0.91         | 0.007  |
| PFR2011-8 | 264.57         | 265.48       | 0.91         | 0.010  |
| PFR2011-8 | 265.48         | 266.40       | 0.91         | 0.005  |
| PFR2011-8 | 266.40         | 267.31       | 0.91         | 0.012  |
| PFR2011-8 | 267.31         | 268.22       | 0.91         | 0.013  |
| PFR2011-8 | 268.22         | 269.14       | 0.91         | 0.014  |
| PFR2011-8 | 269.14         | 270.05       | 0.91         | 0.024  |



**Idaho Gold Project - Friday Petsite  
PHASE IV - 25,000 meters**

Drill Hole: PFR2011\_8 (HQ Core)

Release Date: 19-July-2011

See Release: [PFR2011\\_8](#)

| Hole #    | Depth From (m) | Depth To (m) | Interval (m) | Au g/t |
|-----------|----------------|--------------|--------------|--------|
| PFR2011-8 | 270.05         | 270.97       | 0.91         | 0.011  |
| PFR2011-8 | 270.97         | 271.88       | 0.91         | 0.021  |
| PFR2011-8 | 271.88         | 272.80       | 0.91         | 0.006  |
| PFR2011-8 | 272.80         | 273.71       | 0.91         | 0.010  |
| PFR2011-8 | 273.71         | 274.62       | 0.91         | 0.007  |
| PFR2011-8 | 274.62         | 275.54       | 0.91         | 0.013  |
| PFR2011-8 | 275.54         | 276.45       | 0.91         | 0.010  |
| PFR2011-8 | 276.45         | 277.37       | 0.91         | 0.011  |
| PFR2011-8 | 277.37         | 278.28       | 0.91         | 0.026  |
| PFR2011-8 | 278.28         | 279.20       | 0.91         | 0.023  |
| PFR2011-8 | 279.20         | 280.11       | 0.91         | 0.005  |
| PFR2011-8 | 280.11         | 281.03       | 0.91         | 0.002  |
| PFR2011-8 | 281.03         | 281.94       | 0.91         | 0.005  |
| PFR2011-8 | 281.94         | 282.85       | 0.91         | 0.007  |
| PFR2011-8 | 282.85         | 283.77       | 0.91         | 0.019  |
| PFR2011-8 | 283.77         | 284.68       | 0.91         | 0.015  |
| PFR2011-8 | 284.68         | 285.60       | 0.91         | 0.029  |
| PFR2011-8 | 285.60         | 286.51       | 0.91         | 0.010  |
| PFR2011-8 | 286.51         | 287.43       | 0.91         | 0.020  |
| PFR2011-8 | 287.43         | 288.34       | 0.91         | 0.004  |
| PFR2011-8 | 288.34         | 289.26       | 0.91         | <0.002 |
| PFR2011-8 | 289.26         | 290.17       | 0.91         | 0.005  |
| PFR2011-8 | 290.17         | 291.08       | 0.91         | 0.003  |
| PFR2011-8 | 311.51         | 312.42       | 0.91         | 0.003  |
| PFR2011-8 | 312.42         | 313.33       | 0.91         | 0.004  |
| PFR2011-8 | 313.33         | 314.25       | 0.91         | <0.002 |
| PFR2011-8 | 314.25         | 315.16       | 0.91         | 0.002  |
| PFR2011-8 | 315.16         | 316.08       | 0.91         | <0.002 |
| PFR2011-8 | 316.08         | 316.99       | 0.91         | <0.002 |
| PFR2011-8 | 316.99         | 317.91       | 0.91         | <0.002 |
| PFR2011-8 | 317.91         | 318.82       | 0.91         | <0.002 |
| PFR2011-8 | 318.82         | 319.74       | 0.91         | <0.002 |
| PFR2011-8 | 319.74         | 320.65       | 0.91         | <0.002 |
| PFR2011-8 | 320.65         | 321.56       | 0.91         | <0.002 |
| PFR2011-8 | 321.56         | 322.48       | 0.91         | 0.039  |
| PFR2011-8 | 322.48         | 323.39       | 0.91         | <0.002 |
| PFR2011-8 | 323.39         | 324.31       | 0.91         | <0.002 |
| PFR2011-8 | 324.31         | 325.22       | 0.91         | 0.002  |
| PFR2011-8 | 325.22         | 325.83       | 0.61         | 0.009  |
| PFR2011-8 | 325.83         | 326.44       | 0.61         | 0.043  |
| PFR2011-8 | 326.44         | 327.05       | 0.61         | 0.002  |
| PFR2011-8 | 327.05         | 327.96       | 0.91         | <0.002 |



Idaho Gold Project - Friday Petsite  
PHASE IV - 25,000 meters

Drill Hole: PFR2011\_8 (HQ Core)

Release Date: 19-July-2011

See Release: [PFR2011\\_8](#)

| Hole #    | Depth From (m) | Depth To (m) | Interval (m) | Au g/t |
|-----------|----------------|--------------|--------------|--------|
| PFR2011-8 | 327.96         | 328.88       | 0.91         | <0.002 |
| PFR2011-8 | 328.88         | 329.79       | 0.91         | 0.002  |
| PFR2011-8 | 329.79         | 330.71       | 0.91         | <0.002 |
| PFR2011-8 | 330.71         | 331.62       | 0.91         | <0.002 |
| PFR2011-8 | 331.62         | 332.54       | 0.91         | <0.002 |
| PFR2011-8 | 332.54         | 333.15       | 0.61         | <0.002 |
| PFR2011-8 | 333.15         | 334.06       | 0.91         | <0.002 |